

10/662,444 INTERFERENCE SEARCH HISTORY PRINTOUT

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	((photograph\$4 with (light source)) and ((light emitting diode\$3) or "LED") and fluorophor and ((convex lens) with (linear fresnel cuts))).clm.	US-PGPUB	2006/01/03 14:43

	Type	Hits	Search Text	DBs
1	BRS	13642	photograph\$4 (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	476371	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	14244	S2 and (green and blue and red and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	490	S3 and (lens with fresnel\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	27	S3 and (lens with fresnel\$4) and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	1	S5 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	99	S4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	477031	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	14298	S8 and (green and blue and red and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	13646	photograph\$4 (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	3804	362/3,8,11,16,17,18230,231,800,802,337.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	376	S11 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	2	S12 and fluorophor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	110	S12 and (ultraviolet or "UV")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	52	S12 and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	58	S8 and (green and blue and red and white) and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	14298	S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	58	S9 and (green and blue and red and white) and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	31	S9 and (green and blue and red and white) and fluorophor and yellow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	4557	photograph\$4 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	206	photograph\$4 and S9 and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	2	("5543883" "5721963").PN.	US-PGPUB; USPAT; USOCR
23	BRS	8	("6222995").URPN.	USPAT
24	IS&R	1	("6632004").PN.	USPAT
25	BRS	4	("4316241" "4345303" "5775799" "6011929").PN.	US-PGPUB; USPAT; USOCR
26	BRS	1	("6632004").URPN.	USPAT
27	IS&R	0	("tenmyo-yoshiharu.in.").PN.	USPAT
28	BRS	27	tenmyo-yoshiharu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	146	S29 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

30	BRS	821	S9 and fluorophor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	-----	----------------------	--

	Type	Hits	Search Text	DBs
31	BRS	8	S31 and 313/502,503,512,498.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	3373	S8 and fluorophor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	10	S33 and 313/502,503,512,498.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	2	S31 and 362/84.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	24	S33 and "313"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	8	S33 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	4	S31 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	14	S31 and "313"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	352	(photograph\$4 or camera) and S9 and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	15	(light\$6 duration) with "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	IS&R	1	("5673059").PN.	USPAT
42	BRS	234	camera and S9 and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	11	camera and S9 and "msec" and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	IS&R	1	("6805474").PN.	USPAT
45	BRS	5106	362/3,8,11,16,17,18,230,231,800,802,337,257,317,227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	478502	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	70	399/4,5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	5176	S45 or S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	801	348/552.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	S48 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	5977	S48 or S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	69	S46 and (drive with (rate\$4 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	2	S53 and photograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	31	S46 and (drive with (rate\$4 current) and (duration or msec))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	399	S46 and (times with rated with current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	14	S46 and (times with rated with current) and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	2187	S51 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	1	S52 and (rated current) and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
59	BRS	26	S52 and (rated current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	2	S52 and (rated current) and photogr\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	12625	S46 with flash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	4837	flash\$5 ((light emit\$6 diod\$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	446	S62 and photograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	1	S62 and photograph\$4 and (rated current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	S62 and photograph\$4 and (rated adj current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	7	phtograph\$5 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	1	S66 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	10794	blue with S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	6	blue with S46 with fluorophor\$4 with yellow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	0	S69 and phtograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	1	S69 and photograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	13	(blue with S46) same fluorophor\$4 same yellow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	2900	S46 and (lens with fresnel\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	70948	S46 and ((green and blue and red) or white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	1739	S75 and fresnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	23083	S75 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	1147	S77 and fresnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	S77 and fresnel\$4 and phtograph\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	343	S77 and fresnel\$4 and photograph\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	159	S77 and fresnel\$4 and photograph\$5 and flash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	5513	"396"/\$.ccls. and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	171	"396"/\$.ccls. and S46 and fresnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	16	"396"/\$.ccls. and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	63	S51 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	12	S51 and S78 and photograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
86	IS&R	5	((("5895128") or ("5109248") or ("6081076") or ("4485336") or ("5666571"))).PN.	USPAT
87	BRS	9	S72 and red and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	IS&R	1	("6747406").PN.	USPAT
89	BRS	42507	flash\$5 and ((light emit\$6 diod\$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	2010	flash\$5 and ((light emit\$6 diod\$4) or "LED") and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	460	flash\$5 and ((light emit\$6 diod\$4) or "LED") and "362"/800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	127	flash\$5 and ((light emit\$6 diod\$4) or "LED") and "362"/800.ccls. and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	3	flash\$5 and ((light emit\$6 diod\$4) or "LED") and "362"/800.ccls. and driver and (rated current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	0	"09911736".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	4	"911736".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	1	lens with (longitudinal fresnel) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	12	lens with (longitudinal fresnel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	1052	(lens with fresnel) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	479044	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	16	((light emit\$6 diod\$4) or "LED") (electronic flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	217	((light emit\$6 diod\$4) or "LED") with (electronic flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	15918	(lens with fresnel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	6	S101 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	IS&R	2	((("5617163") or ("6016406"))).PN.	USPAT
105	BRS	0	S105 and (electronic flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	2	S105 and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	39	S99 with stack\$3 with (red and green and blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	IS&R	3	((("3875456") or ("3875473") or ("3783353"))).PN.	USPAT
109	BRS	3	("3611069" "3683240" "3727115").PN.	US-PGPUB; USPAT; USOCR
110	BRS	27	("3783353").URPN.	USPAT
111	BRS	3559	(Camera or phtograph\$5) with (electronic flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	65	stack\$4 ((light emit\$6 diod\$4) or "LED") and green and red and blue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	0	S111 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	65	(stack\$4 ((light emit\$6 diod\$4) or "LED")) and green and red and blue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

115	BRS	39	stack\$4 with (((light emit\$6 diod\$4) or "LED") with green with red with blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	----	--	---

	Type	Hits	Search Text	DBs
116	BRS	39	stack\$4 with (((light emit\$6 diod\$4) or "LED") with (green and red and blue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	3	("5138416" "5459337" "5583351").PN.	US-PGPUB; USPAT; USOCR
118	BRS	30	("5739552").URPN.	USPAT
119	BRS	180	light with emit\$6 with stack\$4 with chip\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	42	S119 and (green and red and blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	7	("20010022495" "20020057567" "5393993" "5623181" "5707745" "5998925" "6346771").PN.	US-PGPUB; USPAT; USOCR
122	BRS	0	("6525464").URPN.	USPAT
123	BRS	13	S119 and (flash or camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
124	BRS	3	S119 with (green and red and blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	5	"063103".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	2366	313/499-503,512.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	BRS	0	S126 and (stack\$4 with chip\$3 with green with blue with red)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	17	S126 and (stack\$4 with chip\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
129	BRS	437	S126 and stack\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
130	BRS	6	S126 and (stack\$4 with (green red blue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	IS&R	1	("6737801").PN.	USPAT
132	IS&R	1	("6525464").PN.	USPAT
133	BRS	7	("20010022495" "20020057567" "5393993" "5623181" "5707745" "5998925" "6346771").PN.	US-PGPUB; USPAT; USOCR
134	BRS	0	("6525464").URPN.	USPAT
135	BRS	7	("20010022495" "20020057567" "5393993" "5623181" "5707745" "5998925" "6346771").PN.	US-PGPUB; USPAT; USOCR
136	IS&R	1	("3611069").PN.	USPAT
137	BRS	6	("3404305" "3478214" "3526801").PN.	US-PGPUB; USPAT; USOCR
138	BRS	35	("3611069").URPN.	USPAT
139	BRS	3297	(spring contact) with (electrical (contact or connection))	USPAT
140	BRS	330	(spring contact) with (electrical (contact or connection)) and S99	USPAT
141	BRS	0	S140 and (electronic flash)	USPAT
142	BRS	32	S140 and (flash)	USPAT
143	BRS	607	camera and (cell phone)	USPAT
144	BRS	1	((spring contact) with (electrical (contact or connection))) and S143	USPAT
145	BRS	175	camera with (cell phone)	USPAT
146	BRS	0	((spring contact) with (electrical (contact or connection))) and S145	USPAT
147	BRS	102	camera with (mobile device)	USPAT
148	BRS	8	camera and ((hot shoe) with spring)	USPAT
149	BRS	479044	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

150	BRS	14421	S149 and (green and blue and red and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	-------	---	--

	Type	Hits	Search Text	DBs
151	BRS	58	S150 and (green and blue and red and white) and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
152	BRS	2	"911736".ap.	US-PGPUB
153	BRS	0	"09911736".ap.	US-PGPUB
154	BRS	16	blue same fluorophore same yellow same red same white	US-PGPUB
155	BRS	479044	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
156	BRS	4	(white with blue with fluorophore with red)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
157	BRS	3	(white with blue with fluorophor with red)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
158	BRS	4	white same (blue with fluorophor with red)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
159	BRS	1	((ultraviolet or UV) with fluorphor) with white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
160	BRS	4194	(ultraviolet or UV) with S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
161	BRS	1	S163 with fluorophor with white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
162	BRS	34	(blue with S158) and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
163	BRS	9	(blue with S158) with fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
164	BRS	9	((blue with S158) with fluorophor) and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
165	BRS	2	"911736".ap.	US-PGPUB
166	BRS	454	kawakami.in.	US-PGPUB
167	BRS	7	kawakami-chikuni.in.	US-PGPUB
168	BRS	0	"09911736".ap.	US-PGPUB
169	BRS	0	"0911736".ap.	US-PGPUB
170	BRS	6	"937847".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
171	BRS	863695	(photograph\$4 or camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
172	BRS	149510	S174 with (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
173	BRS	15941	S174 adj (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
174	BRS	97023	S174 near5 (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
175	BRS	149510	S175 or S176 or S177	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
176	BRS	502953	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
177	BRS	15922	S179 and (green and blue and red and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
178	BRS	15922	S179 and (green and blue and red and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
179	BRS	558	S181 and (lens with fresnel\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
180	BRS	3830	S178 and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

181	BRS	217	S182 and S183	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	-----	---------------	--

	Type	Hits	Search Text	DBs
182	BRS	5251	362/3,8,11,16,17,18,230,231,800,802,337,257,317,227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
183	BRS	5279	362/3,8,11,12,16,17,18,230,231,800,802,337,257,317,227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
184	BRS	386	348/370,371.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
185	BRS	965	396/155.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
186	BRS	6547	S186 or S187 or S188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
187	BRS	19	S189 and S184	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
188	BRS	198	S184 not S190	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
189	IS&R	4	((("5,109,248") or ("6,081,076") or ("4,485,336") or ("5,666,571") or ("5,895,128A") or ("5,745,176A") or ("6,744,469B1") or ("6,081,076A") or ("5,504,524A") or ("5,541,649A") or ("6,379,022B1") or ("5,978,022A"))).PN.	USPAT
190	BRS	5	("3045124" "3580149" "4041308" "4335943").PN.	US-PGPUB; USPAT; USOCR
191	BRS	27	("4485336").URPN.	USPAT
192	BRS	0	"911736".ccls.	US-PGPUB
193	BRS	2	"911736".ap.	US-PGPUB
194	BRS	28	linear with fresnel with cuts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
195	BRS	6	linear with parallel with fresnel with cuts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
196	BRS	34	parallel with fresnel with cuts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
197	BRS	28	S199 not S197	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
198	BRS	28	S200 not S198	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
199	BRS	27195	flash\$5 with (camera or photograph\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
200	BRS	521	S202 and fresnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
201	BRS	30	S202 and (parallel with fresnel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
202	BRS	0	(linear with parallel with fresnel) and S202	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
203	BRS	25	(linear same parallel same fresnel) and S202	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
204	BRS	55	S204 or S206	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
205	BRS	1	fluophor same (blue light) same yellow same white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
206	BRS	5	fluophor same blue same yellow same white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
207	BRS	2	fluophor same ultraviolet same (red with green with blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
208	BRS	502953	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
209	BRS	330899	(photograph\$4 or camera) and (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
210	BRS	6960	S211 and S212 and phosphor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
211	BRS	420051	(photograph\$4 or camera or flash) and (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
212	BRS	9351	S211 and S214 and phosphor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
213	BRS	1775	S211 and S214 and fluorophor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
214	BRS	364	S211 and S214 and fluorophor\$5 and blue and yellow and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
215	BRS	1	S211 and S214 and fluorophor\$5 and ultaviolet and blue and red and green	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
216	BRS	264	S217 and @ad < "20030404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
217	BRS	2616	(camera flash) and (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
218	BRS	610	S220 and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
219	BRS	5	S221 and fluorophor\$5 and blue and yellow and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
220	BRS	42	(camera flash) a and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
221	BRS	631	(camera flash) and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
222	BRS	5	S224 and fluorophor\$5 and blue and yellow and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
223	BRS	47	S224 and blue and yellow and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
224	BRS	9	fluorophor\$5 with blue with yellow with white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
225	BRS	63	fluorophor\$5 same blue same yellow same white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
226	BRS	0	fluorophor\$5 same ultaviolet same blue same red same green	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
227	BRS	9	fluorophor\$5 same ultraviolet same blue same red same green	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
228	BRS	71	S228 or S230	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
229	BRS	50	S231 and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

230	BRS	0	(camera flash) and S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	---	-------------------------	--

	Type	Hits	Search Text	DBs
231	BRS	2616	(camera flash) and S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
232	BRS	45	(photograph\$4 or camera) and S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
233	BRS	4742	(white light) with S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
234	BRS	28	(camera flash) and S236	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
235	BRS	0	(camera flash) and S238	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
236	BRS	69	S236 and fluorophor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
237	BRS	1	S237 and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
238	BRS	631	(camera flash) and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
239	BRS	32	S241 and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
240	BRS	1	S237 and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
241	BRS	32	S241 and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
242	BRS	1	S241 and "msec" and white and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
243	BRS	7	S241 and "msec" and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
244	BRS	37	S232 and (photograph\$4 light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
245	BRS	1	S232 and (photograph\$4 light) and S236	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
246	BRS	37	S232 and (photograph\$4 light) and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
247	BRS	23	S232 and camera and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
248	IS&R	1	("5287135").PN.	USPAT
249	BRS	3309	white ((light emit\$6 diod\$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
250	BRS	765	S252 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
251	BRS	18	S252 and camera and fluorophor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
252	BRS	19	S252 and (camera flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
253	BRS	3	S252 and (blue with fluorophor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
254	BRS	0	S256 and S253	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
255	BRS	0	S256 and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
256	BRS	4	S252 and (blue same fluorophor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
257	BRS	3063754	light or lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

258	BRS	3309	white ((light emit\$6 diod\$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	------	--	--

	Type	Hits	Search Text	DBs
259	BRS	1	white ((light emit\$6 diod\$4) or "LED") same fluorophor same blue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
260	BRS	3	white ((light emit\$6 diod\$4) or "LED") and (fluorophor with blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
261	BRS	2	white ((light emit\$6 diod\$4) or "LED") and (fluorophor with blue with yellow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
262	BRS	2	white ((light emit\$6 diod\$4) or "LED") and (fluorophor same blue same yellow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
263	BRS	0	white ((light emit\$6 diod\$4) or "LED") and (fluorophor same ultraviolet same red same blue same green)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
264	BRS	1	white ((light emit\$6 diod\$4) or "LED") and (fluorophor same ultraviolet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
265	BRS	11	((light emit\$6 diod\$4) or "LED") and (fluorophor same blue same yellow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
266	BRS	1	((light emit\$6 diod\$4) or "LED") and (fluorophor same ultraviolet same red same blue same green)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
267	BRS	11	((light emit\$6 diod\$4) or "LED") and (fluorophor same ultraviolet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
268	BRS	11	S268 or S269	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
269	BRS	0	S270 and photogarphy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
270	BRS	9	S270 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
271	BRS	0	S270 and camera and fesnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
272	BRS	1	S270 and camera and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
273	BRS	1	S271 and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
274	BRS	83389	photograph\$4 with (light or (light source) or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
275	BRS	1424	photograph\$4 with (light or (light source) or lamp) and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
276	BRS	502953	((light emit\$6 diod\$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
277	BRS	502953	S252 or S279	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
278	BRS	433	S278 and S280	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
279	BRS	1	S278 and S280 and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
280	IS&R	2	((("5617163") or ("6016406")).PN.	USPAT
281	BRS	5	("4937715" "5021811" "5160192" "5329330" "5615394").PN.	US-PGPUB; USPAT; USOCR
282	BRS	1	("6016406").URPN.	USPAT
283	IS&R	2	((("5813752") or ("6002424")).PN.	USPAT
284	IS&R	0	("cameraand(springcontact)").PN.	USPAT
285	BRS	1130	camera and (spring contact)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
286	BRS	0	camera and ((spring contact) with (hot shoe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

287	BRS	217	camera and (spring contact) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	-----	---------------------------------------	--

	Type	Hits	Search Text	DBs
288	BRS	502953	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
289	BRS	57	camera and (spring contact) and flash and S291	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
290	BRS	0	fresnel lens with cinvex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
291	BRS	1015	fresnel lens with convex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
292	BRS	1015	(fresnel lens) with convex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
293	BRS	15	S295 and (camera flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
294	BRS	2	S295 with (camera flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
295	BRS	75	S295 and S277	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
296	BRS	762	(convex lens) with fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
297	BRS	2	S299 with (camera flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
298	BRS	45	(volt\$4 booster) with (inverter circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
299	BRS	0	(volt\$4 booster) with (inverter circuit) and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
300	BRS	0	((volt\$4 booster) with (inverter circuit)) and (camera flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
301	BRS	37	(volt\$4 booster) and (camera flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
302	BRS	22	(inverter circuit) and (camera flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
303	BRS	59	S304 or S305	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
304	BRS	0	S304 and S305	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
305	BRS	0	(volt\$4 booster) with (inverter circuit) and S277	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
306	BRS	0	((volt\$4 booster) and (inverter circuit)) and (camera flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
307	BRS	2	((volt\$4 booster) and (inverter circuit)) and (camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
308	BRS	361	photograph\$4 with (light or (light source) or lamp) and (volt\$5 boos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
309	BRS	5	photograph\$4 with (light or (light source) or lamp) and (volt\$5 boos\$4) and (inverter circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
310	BRS	55755	mobile phone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
311	BRS	6870	mobile phone and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
312	BRS	6870	(mobile phone) and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
313	BRS	2	(mobile phone) and camera and S295	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
314	BRS	3	(mobile phone) and S295	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
315	BRS	0	(mobile phone) and S296	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
316	BRS	128794	mobile (phone or telephone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
317	BRS	0	S319 and S296	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
318	BRS	14750	S319 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
319	BRS	2094	S319 and camera and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
320	BRS	13	S319 and camera and flash and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
321	BRS	9	S319 and camera and flash and fresnel and convex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
322	BRS	9	S319 and camera and flash and fresnel and convex and S279	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
323	BRS	0	S319 and camera and flash and fresnel and convex and S279 and white anfl fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
324	BRS	8	S319 and camera and flash and fresnel and convex and S279 and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
325	BRS	1928	362/277,293.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
326	BRS	449	257/89,90.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
327	BRS	156	396/61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
328	BRS	2532	S328 or S329 or S330	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
329	BRS	10	white ((light emit\$6 diod\$4) or "LED") and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
330	BRS	502953	((light emit\$6 diod\$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
331	BRS	272	((light emit\$6 diod\$4) or "LED") and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
332	BRS	28	S331 and S333 and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
333	BRS	83018	photograph\$4 with (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
334	BRS	530710	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
335	BRS	4	(convex lens) with (fresnel\$4) cuts	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
336	BRS	17536	lens with (fresnel\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
337	BRS	1159	S336 and S339	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
338	BRS	411	S336 and S339 and S337	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
339	BRS	7274	362/3,8,11,12,16,17,18,230,231,800,802,337,257,317,337,227,277,293.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
340	BRS	438	348/370,371.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
341	BRS	1124	396/155,61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
342	BRS	483	257/89,90.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
343	BRS	9220	S342 or S343 or S344 or S345	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
344	BRS	33	S336 and S337 and S339 and S346	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
345	BRS	604	362/3,8,11,12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
346	BRS	59	362/3,8,11,12.ccls. and S337	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



Application Number

IDS Flag Clearance for Application

**IDS
Information**

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
<input type="button" value="UPDATE"/>				